Notice of Allowability	Application No.	Applicant(s)
	10/615,849	NAKANISHI, HAYATO
	Examiner	Art Unit
	Henry N. Tran	2629
The MAILING DATE of this communication appeal All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI	(OR REMAINS) CLOSED in this ap or other appropriate communicatio IGHTS. This application is subject	oplication. If not included in will be mailed in due course. THIS
1. 🔀 This communication is responsive to the amendment received	ived 7/10/06.	
2. 🔀 The allowed claim(s) is/are <u>1-20</u> .		
 3. Acknowledgment is made of a claim for foreign priority ur a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) \square including changes required by the Notice of Draftspers	son's Patent Drawing Review (PTO	-948) attached
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		
(b) including changes required by the attached Examiner's Paper No./Mail Date	s Amendment / Comment or in the	Office action of
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t	.84(c)) should be written on the draw he header according to 37 CFR 1.121	ings in the front (not the back) of (d).
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5 Diption of leformed	Data di Ali, Ilia di
 Notice of References Cited (P10-692) Dotice of Draftperson's Patent Drawing Review (PT0-948) 	 5. ☐ Notice of Informal I 6. ☐ Interview Summary 	• • •
_	Paper No./Mail Da	ate
 Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 	7. 🛛 Examiner's Amend	ment/Comment
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛛 Examiner's Statem	ent of Reasons for Allowance
c. e.o.g.oua.onai	9.	Henry N. Tom
		HENRY N. TAM 9/14/06 PRIMARY EXAMINER

DETAILED ACTION

1. The Amendment received 7/10/06 has been considered in preparing this Office action.

The Amendment has been entered. Claims 1-20 remain pending in this application. Applicant's amendments to the specification and the claims, and the Remarks have overcome the rejections recited in the prior Office action mailed 4/10/06.

Allowable Subject Matter

- 2. Claims 1-20 are allowed.
- 3. The present invention is directed to an electro-optical display device having a particular structure and layout of wiring for enhancing the display quality. Each independent claims 1 and 13-15 requires "a second wiring line" (see figure 2, element 12a); whereas, the closest prior art, the Yamada et al patent (U.S. Patent No. 6,690,110), and the Yamazaki et al patent (U.S. Patent No. 6,825,820) that disclose electro-optical display devices having layouts of wiring, which, either individually or in combination, does not teach or suggest the claimed invention as specifically pointed out in the applicant's remark, see pages 10-12 of the Amendment.

Conclusion

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Henry N. Tran whose telephone number is 571-272-7760. The examiner can normally be reached on M-F 8:00-4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Bipin H. Shalwala can be reached on 571-272-7681. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/615,849

Art Unit: 2629

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Henry N Tran Primary Examiner

Henry N. Tom

Page 3

Art Unit 2629

HT #7